

Figure 1 ON / OFF flow switch





Figure 2 Drug delivery switch in the on position. Input and output flow are connected.



BEST AVAILABLE COPY

Figure 3 Drug delivery switch in the off position due to position of an external magnet on the top of the skin. The external magnet attract the internal magnet of the fluid chamber and causes closure of the fluid flow.




Figure 4 Fluid switch with a spherical magnet which is movable and which can turn in any direction. The switch is open during the presence of an external magnet




Figure 5 Fluid switch in stable OFF (dose) position when the external magnet is removed




Figure 6 Fluid switch like in figure 4 but with grooves in the coating of the spherical magnet over one magnetic pole




Figure 7 Fluid switch in stable OFF (close) position when the external magnet is removed




Figure 8 Fluid switch in stable ON (open) position when the external magnet is removed, the fluid can pass through the grooves.




Figure 9 External Indicator for checking the state of the switch




Figure 10 Switch where the coating over one magnetic pole is recessed or is replaced by another (e.g. semi-permeable) material




Figure 11 Bi-stable switch with a spherical magnet which is free to turn into any direction




Figure 12 Fluid switch with two inlets and two outlets which are open / closed depending on the switching state




Figure 13 Magnetically activated implantable fluid switch which controls the flow direction





Figure 14 Magnetically driven fluid pump which interrupts fluid flow when no external magnet is present






Fig. 15





Fig. 16




Fig. 17




Fig. 18

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.